

AUDIOPOINT-3

Order no.: 0179040

PRODUCT INFORMATION

Audio streamer
AUDIOPOINT-3 allows you to stream analogue audio signals, such as live audio, music or speech, with low latency to multiple portable devices and is ideally suited for the application in houses of worship, museums, lecture halls, schools and at trade shows or conferences.

- 50 users max. at the same time (up to 250 users after licence upgrade)
- 2 mono audio input channels
- Audio format: PCM/24 kHz/16 bits/mono
- No cloud server required
- Compatible with standard Wi-Fi routers
- Automatic detection and dynamic list of channels available (feature also available when using multiple devices)
- Easy installation, programming via web browser, access via IP address
- Free apps for Android and iOS are available from the respective store

Manufacturer information:
Barix AG Switzerland
Limmatquai 120
8001 Zürich

Switzerland
support@barix.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.
Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.
The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

SPECIFICATIONS

AUDIOPOINT-3

Description	audio streamer
Nominal value	240 kbps streaming
Colour	silver
Material	aluminium
Power supply	encl. power supply
Dimensions	118 x 40 x 85 mm
Weight	265 g
Connections	2 x RCA, 1 x RJ45 (LAN), 1 x RS232, 2 x USB, 3.5 mm jack (headphones)
Packing unit	1
Packaging dimensions (W x H x L)	0.115 x 0.06 x 0.17 m
Gross weight	0.51 kg
Net weight	0.435 kg

AUDIOPOINT-3

Sampling rates	24 kHz
Resolution	16 Bit

AUDIOPOINT-3

EAN code	7640113552176
Net weight	0.435 kg