

CM-804IF

Order no.: 0236090

PRODUCT INFORMATION

Electret headband microphone

- Lightweight, very comfortable to wear, expressive sound
- Adjustable neckband, lockable
- Integrated drip ring protects cartridge from moisture
- Folding ear hook
- Connection cable with strain relief, screwed-on
- Connection cable 801TG with 3.5 mm plug for use with our tour guide systems is available at option
- Supplied with bag, windshield and collar clip

EVENT Rookie 01/2014
“All in all, the UF-10 from JTS is an excellent choice for users who value wideband wireless systems with a sophisticated technology and a reasonable price-performance ratio but who tolerate a lower mechanical stability compared with other much more expensive devices. Although this system requires a licence because of its frequency range, it should still be a reliable investment in future wireless equipment, even beyond the year 2015. With regard to the sound, the UF-10TH/12 is a good dynamic microphone with excellent close-talking characteristics. The headset CM-804/F is of omnidirectional characteristic and features a well-balanced sound without too many peaks in the high frequency range. The pocket transmitter UF-10TB/10 is additionally

supplied with the unidirectional lavalier microphone CM-501 which allows you to immediately start with voice transmissions.”

Manufacturer information:
JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan
jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

SPECIFICATIONS

CM-804IF	
Description	headband microphone
Transmission method	cable
Polar pattern	omnidir.
System	electret
Audio frequency range	60-15,000 Hz
Nominal impedance	1.8 kΩ
Sensitivity	6.3 mV/Pa
Max. sound pressure	130 dB
Power supply	JTS UHF PLL Pocket Transmitter
Admiss. ambient temp.	0-40 °C
Weight	20 g
Connection	4-pole mini XLR (optional: 3.5 mm stereo plug, 3-pole mini XLR or 4-pole Hirose connector)
Packaging dimensions (W x H x L)	0.12 x 0.03 x 0.21 m
Gross weight	0.12 kg
Net weight	0.078 kg

CM-804IF	
EAN code	4007754224078

CM-804IF

Net weight	0.078 kg