

Exclusive FOR CERTIFIED PARTNERS

CS-W4T/5

Order no.: 1000018

PRODUCT INFORMATION

UHF PLL microphone desk stand transmitter for the chairperson

- Back-electret microphone cartridge, supercardioid polar pattern
- 400 mm gooseneck, removable
- REMOSET technology for receiver/transmitter synchronisation
- Adjustable sensitivity
- Switchable transmitting power
- Low cut function
- Automatic switch-off
- Lock function
- LCD for indicating group/channel, audio level and battery status

There are restrictions or requirements within the EU!

Please read the notes regarding wireless systems in the section “IMPORTANT INFORMATION”!

Manufacturer information:
JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.

41280 Taichung City
Taiwan
jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety and warning notices

Only use the device indoors and protect it from dripping and splashing water, high humidity and heat (permissible operating temperature range 0 - 40 °C).
Do not operate the appliance if there is visible damage to the appliance, if a defect is suspected after a fall or similar, or if malfunctions occur. Always return the appliance to a specialised workshop for repair.
If the appliance is to be taken out of service permanently, hand it over to a local recycling centre for environmentally friendly disposal.

SPECIFICATIONS

CS-W4T/5	
Description	microphone desk stand transmitter for the chairperson
Transmission method	wireless
Polar pattern	supercardioid
System	back electret
Carrier frequency range	506-542 MHz
Transmitting power	10/50 mW
Operating time	≈ 25 h
Audio frequency range	60-16,000 Hz
Power supply	2 x batt. AA size, alkaline (not supplied)
Gooseneck length	400 mm
Admiss. ambient temp.	0-40 °C
Dimensions	138 x 29 x 116 mm (console housing)
Weight	710 g
Connection	4-pole mini XLR

CS-W4T/5

Packaging dimensions (W x H x L)	0.41 x 0.07 x 0.16 m
Gross weight	1.061 kg
Net weight	0.714 kg

CS-W4T/5

EAN code	4007754274509
Net weight	0.714 kg