

SIEM-2/5

Order no.: 0255530

PRODUCT INFORMATION

Mono UHF PLL in-ear monitoring system

- 16 preset channels
- Integrated limiter
- Loop outputs on the rear panel
- Switchable transmitting power
- Supplied with high-quality in-ear earphones IE-1
- 482 mm (19") unit holder DR-900SET for 1 RU rack installation of 2 x SIEM-2/5 transmitter max. is available at option

There are restrictions or requirements within the EU!

Please read the notes regarding wireless systems in the section “IMPORTANT INFORMATION”!

Manufacturer information:
JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan

jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages

The unit uses dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Inexpert handling may result in electric shock.
Do not operate the unit and disconnect the mains plug from the socket immediately if the unit or the mains cable is visibly damaged; if a defect might have occurred after the unit was dropped or suffered a similar accident, if malfunctions occur. In any case, the unit must be repaired by skilled personnel.
The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.
Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries/rechargeable batteries.
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.
Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

SPECIFICATIONS

SIEM-2/5	
General information	
Description	in-ear monitoring system
Carrier frequency range	518-542 MHz
Audio frequency range	40-18,000 Hz
Channels	2
Operating time	> 8 h
Admiss. ambient temp.	0-40 °C
Specifications transmitter	
Transmitting power	10/50 mW
Power supply transmitter	˜ 100-240 V via encl. plug-in power supply

SIEM-2/5

Width transmitter	210 mm
Height transmitter	42 mm
Depth transmitter	180 mm
Weight transmitter	460 g
Connections transmitter	2 x combo (in)2 x 6.3 mm jack, bal. (loop out)

Specifications receiver

Power supply receiver	2 x batt. AA size, alkaline (not supplied)
Width receiver	75 mm
Height receiver	160 mm
Depth receiver	32 mm
Weight receiver	90 g
Connections receiver	6.3 mm stereo jack

SIEM-2/5

EAN code	4007754239430
Net weight	0.659 kg