

SIP-MIC

Order no.: 0176410

PRODUCT INFORMATION

SIP Microphone Station from 2N®
With SIP technology and various functions, e.g. transmission into 12 zones, two-way communication thanks to built-in speaker or reproduction of pre-recorded announcements. Each of the stated functions is available without a server and there is no limitation as to the distance.

SIP microphone station

- For transmitting live audio announcements or previously stored messages into different zones
- Connection to the existing LAN/WAN network
- Connection facility for external microphone, CD/MP3 player or headphones
- 14 buttons, 12 of them to be programmed as required
- Supports IP PBX (SIP)
- Ethernet via RJ45, 10/100 Mbps
- 2 speakers (2 x 1 W)
- 2 logical inputs for contact or voltage of 5-48 V
- Relay output NO/NC, max. 48 V/1 A
- Audio output, 3.5 mm jack
- Main microphone input, balanced, XLR, integrated 24 V phantom power
- Microphone input, 3.5 mm jack
- Line input, 3.5 mm jack

- Power supply via PoE (IEEE 802.3af) or external power supply (12-32 V/1 A)
- Matching power supply PSS-1230DC is available at option

Manufacturer information:
Axis Communications AB
Gränden 1
SE-223 69 Lund
Sweden
sales@2n.com

Safety Notes and Warning Messages
The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.

SPECIFICATIONS

SIP-MIC	
Description	SIP microphone station
Nominal value	2 x 1 W speaker
Type	SIP
Power supply	PoE or DC 12-32 V/1 A via external power supply
Dimensions	209 x 65 x 143 mm
Weight	1.25 kg
Connections	RJ45 (LAN), XLR, bal. (microphone), 3.5 mm jack (microphone), 3.5 mm jack (line in)
Other features	SIP
Packing unit	1
Packaging dimensions (W x H x L)	0.17 x 0.16 x 0.32 m
Gross weight	1.54 kg
Net weight	1.255 kg

SIP-MIC	
Audio Codecs	G.711u, G.722
PoE	IEEE 802.3af
LAN	RJ45, 10/100BASE-TX

SIP-MIC

EAN code	8595159511429
Net weight	1.255 kg