

TG-10R/1

Order no.: 0253070

PRODUCT INFORMATION

16-channel PLL Tour Guide System, 863-865 MHz

- With extensive accessories
- Operating range: up to 60 m
- Parallel operation of up to three wireless transmitters
- Licence-free in the EU

PLL pocket receiver

- 3.5 mm headphone connection
- Supplied with matching earphone with rubber ear hook
- Channel selector button
- LED channel indicator
- Volume level control
- Belt clip and lanyard

Licence-free in the EU.

Induction loop NL-90 for signal transmission to a hearing device available at option.

Manufacturer information:
JTS PROFESSIONAL CO., LTD.
No. 148, Gongye 9th Rd., Dali Dist.
41280 Taichung City
Taiwan
jts@jts.com.tw

EU-Representative:

MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

Safety Notes and Warning Messages
The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries.
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.
Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

SPECIFICATIONS

TG-10R/1

General information

Description	tour guide system pocket receiver
Carrier frequency range	863-865 MHz
Audio frequency range	40-18,000 Hz
Channels	1
Operating time	12 h
Admiss. ambient temp.	0-40 °C

Specifications receiver

Power supply receiver	rech. lithium-ion batt. 3.7 V/1,300 mAh
Width receiver	54 mm
Height receiver	99 mm
Depth receiver	17 mm
Weight receiver	80 g

TG-10R/1

Connections receiver	1 x 3.5 mm jack (headphones)

TG-10R/1

EAN code	4007754218275
Net weight	0.104 kg