


45W 124 dB

# TM-45

Order no.: 0171000

## PRODUCT INFORMATION

**Attention guaranteed!**
With our range of reliable megaphones, we provide the perfect solution for each application. A few basic selection criteria will help you to choose the right unit. The operating range surely is the most important one. Here, the following applies: with increasing sound pressure (in dB), the operating range of the megaphone increases, too. Furthermore, it is possible to choose between megaphones with integrated microphone, with hand-held microphone or units with an additional wireless microphone. Each megaphone from MONACOR is supplied with power by standard batteries. As an alternative, a few units also feature a 12 V connection. Size, weight and power supply are further selection criteria for choosing the right megaphone. With these comparison criteria, you will surely find the ideal megaphone meeting your individual requirements very quickly.

**Megaphone**

- Hand-held microphone with removable helix cable
- Lockable talk button and volume control at the microphone
- Aux input with level control
- Jack for external 12 V battery operation
- Siren, switchable
- Connection cable for motor vehicles
- 8 mm threaded bushing for mounting onto a stand

**Manufacturer information:**
MONACOR INTERNATIONAL GmbH & Co. KG
Konsul-Smidt-Str. 68
28217 Bremen
Germany
info@monacor.com

**Safety Notes and Warning Messages**
Never operate the megaphone close to anybody?s ears; the amplified voice or feedback noise may cause hearing damage.
The unit is suitable for indoor use only. Protect it against dripping water and splash water, high air humidity and heat (admissible ambient temperature range: 0 - 40 °C).
Remove the rechargeable batteries or batteries if the device is not in use for a longer period of time (e.g. more than a week). This avoids possible damage through leaking batteries.
If the unit is to be put out of operation permanently, take it to a local recycling plant for a disposal which is not harmful to the environment.
Batteries and rechargeable batteries must not be disposed of with household waste. They must be disposed of in accordance with local regulations for hazardous waste.

## SPECIFICATIONS

| **TM-45** | |
|---|---|
| Built-in microphone | no |
| Hand-held microphone | yes |
| Wireless microphone | no |
| Lockable button microphone | yes |
| Shoulder strap | yes |
| Connection cable for motor vehicles | yes |
| Siren | yes |
| Volume control | yes |
| 8 mm thread | yes |
| Aux input with level control | yes |
| Output power (PMAX) | 45 W |
| Sensitivity | 124 dB |
| Power supply | 10 x 1.5 V batt. D size not supplied,<br>ext. DC 12 V/4 A |
| 12 V connection | yes |
| Dimensions | Ø 350 mm x 505 mm |
| Weight | 3.3 kg |
| Packaging dimensions (W x H x L) | 0.39 x 0.63 x 0.39 m |

**TM-45**

| | |
|---|---|
| Gross weight | 6.66 kg |
| Net weight | 3.58 kg |

**TM-45**

| | |
|---|---|
| EAN code | 4007754151220 |
| Net weight | 3.58 kg |